

**Report No. K12622020B7**  
**Verification of the requirements according to:**

COMMISSION REGULATION (EU) 2015/1185  
(Ecodesign Directive 2009/125/EC)  
and  
COMMISSION DELEGATED REGULATION (EU) 2015/1186  
(Energy Labelling Directive 2010/30/EU)

Solid fuel local space heaters:  
**CALLA canalizzabile, MIMOSA canalizzabile,  
LAYNA, DIADEMA, MALAGA, MEGAN, TIERRA**

Trademarks:  
**ANSELMO COLA, COINTRA, Ferroli, ISEA, Last Calor, Starclima**

Company:  
**COLA S.r.l.**

**2020**




This accreditation is valid only for the listed standards as stated in the accreditation annex of D-PL-11120-04-00

**This report may only be published and forwarded to third parties in its complete, unabridged form. The publication or dissemination of extracts, summaries, appraisals or any other adaptation and alterations, in particular for advertising purposes, is only permissible with the prior written permission of TÜV Rheinland.**  
**Publication of page 2 is permitted.**

**The test results presented in this report refer solely to the test object stated as described on page 2. The report does not represent a general statement about the serial production of the test object and gives not an authorization for use of a TÜV Rheinland test- / certification mark.**

**Test Report according the Commission Regulation (EU) 2015/1185 – Ecodesign  
 and the Commission Delegated Regulation (EU) 2015/1186 – Energy Labelling**

|  |   |                |
|--|---|----------------|
| Appliance manufacturer / contractor:   | <b>COLA S.r.l.</b><br>Viale del Lavoro, 7/9<br>37040 Arcole (VR)                                |                |
| Trademarks:  | <b>ANSELMO COLA, COINTRA, Ferroli, ISEA, Last Calor, Starclima</b>                              |                |
| Models:  | <b>CALLA canalizzabile, MIMOSA canalizzabile, LAYNA, DIADEMA, MALAGA, MEGAN, TIERRA</b>         |                |
| Type of construction:  | Pellet stoves in acc. to EN 14785:2006  |                |
| Fuel:  | Compressed wood pellets, Ø 6 mm, L <sub>max</sub> 30 mm, class A1 according to EN 17225-2       |                |
| Nominal heat output (P <sub>nom</sub> )  | 9,0 kW  | Direct: 9,0 kW |
|  |   | Indirect: - kW |
| Minimum heat output (P <sub>min</sub> )  | 2,6 kW  | Direct: 2,6 kW |
|  |   | Indirect: - kW |
| Reference type test report:  | K12652020E4   |                |
| <p>Test basis: Regulations no. 2015/1185 and no. 2015/1186. This examination has been carried out in a test laboratory equipped in accordance to the EN 14785:2006. The test results were reviewed by the impartial test centre of TÜV Rheinland.</p> <p>Test results: the requirements of the implementing Directives 2009/125/EC and 2010/30/EU for the appliance are fulfilled with the following values:</p> |   |                |
| Seasonal space heating energy efficiency   | <b>84,8 %</b>   |                |
| Energy efficiency class  | <b>A+</b>   |                |
| Cologne, 25.01.2021<br>432/pom   | TÜV Rheinland Energy GmbH<br>Test Centre for Energy Appliances<br>DIN- and DVGW-test laboratory |                |
| Assessor:  | Report released after review:   |                |
|   |   |                |
| Dipl.-Ing. A. Pump   | Dipl.-Ing. M. Reibold   |                |

## 1 Task

The Test Centre for Energy Appliances was instructed to execute the measurements and calculations on the appliance **MIMOSA canalizzabile** according to the Commission Regulation (EU) 2015/1185 and the Commission Delegated Regulation (EU) 2015/1186.

The tests were carried out in the laboratory of TÜV Rheinland/CMC Centro Misura Compatibilità S.r.l. in Thiene (Italy).

Test details on the reference test report K12622020E4.

## 2 Description of the appliances

Residential space heating appliances fired by wood pellets without water heat exchanger for domestic central heating system. The flue discharge for pellet operation is fan assisted. The stoves are equipped with an automatic ignition. **CALLA canalizzabile, LAYNA, DIADEMA, MALAGA, MEGAN** and **TIERRA** stoves are all identical to the tested MIMOSA canalizzabile appliance, except than for trademark designation and external designs.

See the reference test report K12652020E4 for further details.

### Control features

#### Room temperature control

|  |     |
|--|-----|
| Single stage heat output, no room temperature control    | No  |
| Two or more manual stages, no temperature control        | No  |
| With mechanic thermostat room temperature control        | No  |
| With electronic room temperature control                 | No  |
| With electronic room temperature control plus day timer  | No  |
| With electronic room temperature control plus week timer | Yes |

#### Controls for indoor heating comfort

|   |    |
|---|----|
| Room temperature control with presence detection    | No |
| Room temperature control with open window detection | No |
| With distance control option                        | No |

### 3 Test data

| Working condition          | Description  | Parameter       | Result | Unit              |
|----------------------------|--|-----------------|--------|-------------------|
| <b>Nominal heat output</b> | Useful efficiency at nominal heat output           | $\eta_{th,nom}$ | 90,4   | %                 |
|                            | Nominal heat output                                | $P_{nom}$       | 9,0    | kW                |
|                            | Electric power requirement at nominal heat output* | $e_{l,max}$     | 110    | W                 |
|                            | Particulate matter emissions**                     | PM              | 11     | mg/m <sup>3</sup> |
|                            | Organic gaseous compounds emissions**              | OGC             | 3      |                   |
|                            | Carbon monoxide emissions**                        | CO              | 148    |                   |
|                            | Nitrogen oxides emissions**                        | NO <sub>X</sub> | 126    |                   |
| <b>Minimum heat output</b> | Useful efficiency at minimum heat output           | $\eta_{th,min}$ | 93,3   | %                 |
|                            | Minimum heat output                                | $P_{min}$       | 2,6    | kW                |
|                            | Electric power requirement at minimum heat output* | $e_{l,min}$     | 80     | W                 |
|                            | Particulate matter emissions**                     | PM              | 20     | mg/m <sup>3</sup> |
|                            | Organic gaseous compounds emissions**              | OGC             | 6      |                   |
|                            | Carbon monoxide emissions**                        | CO              | 160    |                   |
|                            | Nitrogen oxides emissions**                        | NO <sub>X</sub> | 106    |                   |
| <b>Standby</b>             | Standby mode power consumption                     | $e_{l,sb}$      | 3,5    | W                 |

\* average values, measured according to EN15456:2008.

\*\* values standardised to a dry flue gas basis at 13 % oxygen and conditions at 273 K and 1013 mbar.

## 4 Test results

|  |   |                     |             |            |
|--|---|---------------------|-------------|------------|
| Seasonal space heating energy efficiency in active mode  |   | $\eta_{\text{son}}$ | 90,4        | %          |
| Contributions of controls of indoor heating comfort (mutually exclusive temperature controls)              |   | F(2)                | 7,0%        | %          |
| Contributions of controls of indoor heating comfort  |   | F(3)                | 0,0%        | %          |
| Negative contribution to the seasonal space heating energy efficiency by auxiliary electricity consumption |   | F(4)                | 2,6%        | %          |
| Negative contribution to the energy efficiency index by energy consumption of a permanent pilot flame      |   | F(5)                | 0           | %          |
| Biomass label factor   |   | BLF                 | 1,45        | ---        |
| Up to 1/1/2022   | <b>Seasonal space heating energy efficiency</b> | $\eta_{\text{s}}$   | <b>84,8</b> | <b>%</b>   |
|  | <b>Energy efficiency index</b>                  | <b>EEI</b>          | <b>125</b>  | <b>---</b> |
|  | <b>Energy efficiency class</b>                  | <b>---</b>          | <b>A+</b>   | <b>---</b> |
| From 1/1/2022  | <b>Seasonal space heating energy efficiency</b> | $\eta_{\text{s}}$   | <b>84,8</b> | <b>%</b>   |
|  | <b>Energy efficiency index</b>                  | <b>EEI</b>          | <b>125</b>  | <b>---</b> |
|  | <b>Energy efficiency class</b>                  | <b>---</b>          | <b>A+</b>   | <b>---</b> |

## 5 Evaluation of the Energy Labelling Requirements

| Energy efficiency class | Energy efficiency index (EEI) |
|-------------------------|-------------------------------|
| A++                     | $EEI \geq 130$                |
| A+                      | $107 \leq EEI < 130$          |
| A                       | $88 \leq EEI < 107$           |
| B                       | $82 \leq EEI < 88$            |
| C                       | $77 \leq EEI < 82$            |
| D                       | $72 \leq EEI < 77$            |
| E                       | $62 \leq EEI < 72$            |
| F                       | $42 \leq EEI < 62$            |
| G                       | $EEI < 42$                    |

According to the Directive 2010/30/EU, the local space heater shall be marked as following:

|  |                                |
|--|--------------------------------|
| <p><b>Appliances:</b><br/>           CALLA canalizzabile, MIMOSA canalizzabile, LAYNA,<br/>           DIADEMA, MALAGA, MEGAN, TIERRA</p> | <b>Energy efficiency class</b> |
| <p><b>Trademarks:</b><br/>           ANSELMO COLA, COINTRA, Ferroli, ISEA, Last Calor,<br/>           Starclima</p>                      | <b>A+</b>                      |

## **6 Statement of test results**

The local space heaters

**CALLA canalizzabile, MIMOSA canalizzabile,  
LAYNA, DIADEMA, MALAGA, MEGAN, TIERRA**

of the company

**COLA S.r.l.**

fulfil and correspond to the requirements of the Commission Regulation (EU) 2015/1185 with regard to Ecodesign requirements for local space heaters and achieved a seasonal space heating energy efficiency of:

**84,8 %**

and an energy efficiency class of:

**A+**

in accordance with Annex II Energy Efficiency Classes table 1 of the Commission Delegated Regulation (EU) 2015/1186.

The evaluation of the results of this report with respect of conformity with the related commission regulations (2015/1185 and 2015/1186) is only a part of the conformity assessment to fulfil the Ecodesign (Directive 2009/125/EC) and Energy Labelling (Directive 2010/30/EU) prescriptions.